

Enclosures size "44.27"

## MB wider version BIG

inserts		page:
CDD	24 poles + ⊕	76
CDS	9 poles + ⊕	-
CDSH	9 poles + ⊕	86
CDSH NC	6 poles + ⊕	95
CNE	6 poles + ⊕	110
CSE	6 poles + ⊕	-
CSH	6 poles + ⊕	110
CSH S	6 poles + ⊕	122
CCE	6 poles + ⊕	130
CSS	6 poles + ⊕	148
CT, CTSE (16A)	6 poles + ⊕	160
CQE	10 poles + ⊕	168
MIXO	2 modules	262 - 317

### hoods with 2 pegs




### hoods with 2 pegs




description	part No.	entry M	part No.	entry M
with pegs, side entry				
with pegs, side entry	MBO 06 L40	40		
	MBO 06 L50	50		
with pegs, top entry	MBV 06 L40	40	MBV 06 L225	25 x 2
with pegs, top entry	MBV 06 L50	50	MBV 06 L320	20 x 3


MBO 06 L




MBV 06 L225



MBV 06 L



MBV 06 L320



Housings  
(page 436)

**CFUS**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket

dimensions shown in mm are not binding and may be changed without notice

inserts		page:
CDD	24 poles + ⊕	76
CDS	9 poles + ⊕	-
CDSH	9 poles + ⊕	86
CDSH NC	6 poles + ⊕	95
CNE	6 poles + ⊕	110
CSE	6 poles + ⊕	-
CSH	6 poles + ⊕	110
CSH S	6 poles + ⊕	122
CCE	6 poles + ⊕	130
CSS	6 poles + ⊕	148
CT, CTSE (16A)	6 poles + ⊕	160
CQE	10 poles + ⊕	168
MIXO	2 modules	262 - 317

## hoods with 2 pegs



## hoods with 2 pegs



description

part No.

entry  
M


part No.

with pegs, side and top entries

MBVO 06 L240 2 x 40

with pegs, without entries, designed to be drilled

CBC 06 L

Housings  
(page 436)
Type  
4/4X/12
insulating cable gland or fittings  
without gasketcable gland  
with O-Ring gasket

Enclosures size "57.27"

## MB wider version BIG

inserts	page:
CDD	42 poles + $\oplus$ 78
CDS	18 poles + $\oplus$ -
CDSH	18 poles + $\oplus$ 87
CNE	10 poles + $\oplus$ 111
CSE	10 poles + $\oplus$ -
CSH	10 poles + $\oplus$ 111
CSH S	10 poles + $\oplus$ 123
CCE	10 poles + $\oplus$ 131
CMSH	3+2 (aux) poles + $\oplus$ 136
CMCE	3+2 (aux) poles + $\oplus$ 137
CSS	10 poles + $\oplus$ 149
CT, CTSE (16A)	10 poles + $\oplus$ 161
CQE	18 poles + $\oplus$ 169
CX	8/24 poles + $\oplus$ 194
MIXO	3 modules 262 - 317

### hoods with 4 pegs




### hoods with 4 pegs




description	part No.	entry M	part No.	entry M
with pegs, side entry				
with pegs, side entry	<b>MBO 10.40</b>	40		
	<b>MBO 10.50</b>	50		
with pegs, top entry	<b>MBV 10.40</b>	40	<b>MBV 10.225</b>	25 x 2
with pegs, top entry	<b>MBV 10.50</b>	50	<b>MBV 10.420</b>	20 x 4


dimensions of electronic boards for MBO enclosures  
side entry




**MBO 10**




**MBV 10.225**



**MBV 10**



**MBV 10.240**



Housings  
(page 438)



**CFUS**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket

inserts	page:
CDD	42 poles + ⊕ 78
CDS	18 poles + ⊕ -
CDSH	18 poles + ⊕ 87
CNE	10 poles + ⊕ 111
CSE	10 poles + ⊕ -
CSH	10 poles + ⊕ 111
CSH S	10 poles + ⊕ 123
CCE	10 poles + ⊕ 131
CMSH	3+2 (aux) poles + ⊕ 136
CMCE	3+2 (aux) poles + ⊕ 137
CSS	10 poles + ⊕ 149
CT, CTSE (16A)	10 poles + ⊕ 161
CQE	18 poles + ⊕ 169
CX	8/24 poles + ⊕ 194
MIXO	3 modules 262 - 317

## hoods with 4 pegs



## hoods with 4 pegs



description

part No.

entry  
M



part No.

with pegs, side and top entries

MBVO 10.240 40 x 2

with pegs, without entries, designed to be drilled

CBC 10

dimensions of electronic boards for CBC enclosures  
side entryHousings  
(page 438)

 Type  
4/4X/12
insulating cable gland or fittings  
without gasketcable gland  
with O-Ring gasket

Enclosures size "77.27"

## MB wider version BIG

inserts		page:
CD	40 poles + ⊕	70
CDD	72 poles + ⊕	79
CDS	27 poles + ⊕	-
CDSH	27 poles + ⊕	88
CNE	16 poles + ⊕	112
CSE	16 poles + ⊕	-
CSH	16 poles + ⊕	112
CSH S	16 poles + ⊕	124
CCE	16 poles + ⊕	132
CMSH, CMCE	6+2 (aux) poles + ⊕	138 - 139
CSS	16 poles + ⊕	150
CT, CTSE (16A)	16 poles + ⊕	162
CQE	32 poles + ⊕	170
CQEE	40 poles + ⊕	176
CP	6 poles + ⊕	178
CX	6/12, 6/36 and 12/2 poles + ⊕	197 - 199
CX	4/0 and 4/2 poles + ⊕	200 - 201
MIXO	4 modules	262 - 317

### hoods with 4 pegs




### hoods with 4 pegs




description	part No.	entry M	part No.	entry M
with pegs, side entry				
with pegs, side entry	<b>MBO 16.40</b>	40		
	<b>MBO 16.50</b>	50		
with pegs, top entry	<b>MBV 16.40</b>	40	<b>MBV 16.232</b>	32 x 2
with pegs, top entry	<b>MBV 16.50</b>	50	<b>MBV 16.325</b>	25 x 3


dimensions of electronic boards for MBO enclosures  
side entry




**MBO 16**




**MBV 16.232**



**MBV 16**



**MBV 16.325**



Housings  
(page 439)



**CFU**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket

inserts		page:
CD	40 poles + ⊕	70
CDD	72 poles + ⊕	79
CDS	27 poles + ⊕	-
CDSH	27 poles + ⊕	88
CNE	16 poles + ⊕	112
CSE	16 poles + ⊕	-
CSH	16 poles + ⊕	112
CSH S	16 poles + ⊕	124
CCE	16 poles + ⊕	132
CMSH, CMCE	6+2 (aux) poles + ⊕	138 - 139
CSS	16 poles + ⊕	150
CT, CTSE (16A)	16 poles + ⊕	162
CQE	32 poles + ⊕	170
CQEE	40 poles + ⊕	176
CP	6 poles + ⊕	178
CX	6/12, 6/36 and 12/2 poles + ⊕	197 - 199
CX	4/0 and 4/2 poles + ⊕	200 - 201
MIXO	4 modules	262 - 317

## hoods with 4 pegs








## hoods with 4 pegs



description	part No.	entry M	part No.	entry M
with pegs, side entry	<b>MBO 16.225</b>	25 x 2		
with pegs, top entry	<b>MBV 16.620</b>	20 x 6		
with pegs, side and top entries			<b>MBVO 16.240</b>	40 x 2
with pegs, without entries, designed to be drilled			<b>CBC 16</b>	--

dimensions of electronic boards for MBO and CBC enclosures side entry

**MBO 16.225****MBVO 16.240****MBV 16.220****CBC 16**

Housings  
(page 439)



**CRUS**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket









**MB wider version BIG**

inserts	page:
CD	64 poles + ⊕ 72
CDD	108 poles + ⊕ 81
CDS	42 poles + ⊕ -
CDSH	42 poles + ⊕ 89
CNE	24 poles + ⊕ 113
CSE	24 poles + ⊕ -
CSH	24 poles + ⊕ 113
CSH S	24 poles + ⊕ 125
CCE	24 poles + ⊕ 133
CMSH	10+2 (aux) poles + ⊕ 140
CMCE	10+2 (aux) poles + ⊕ 141
CSS	24 poles + ⊕ 151
CT, CTSE (16A)	24 poles + ⊕ 163
CQE	46 poles + ⊕ 171
CQEE	64 poles + ⊕ 177
CX	4/8 and 6/6 poles + ⊕ 204, 206
MIXO	6 modules 262 - 317

**hoods with 4 pegs****hoods with 4 pegs**

description	part No.	entry M	part No.	entry M
with pegs, side entry				
with pegs, side entry	<b>MBO 24.40</b>	40		
	<b>MBO 24.50</b>	50		
with pegs, top entry	<b>MBV 24.40</b>	40	<b>MBV 24.240</b>	40 x 2
with pegs, top entry	<b>MBV 24.50</b>	50	<b>MBV 24.332</b>	32 x 3

dimensions of electronic boards for MBO enclosures  
side entry

**MBO 24****MBV 24****MBV 24.240 - MBV 24.332****MBV 24.240****MBV 24.332**

Housings  
(page 441)



**CFUS**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket

inserts		page:
CD	64 poles + ⊕	72
CDD	108 poles + ⊕	81
CDS	42 poles + ⊕	-
CDSH	42 poles + ⊕	89
CNE	24 poles + ⊕	113
CSE	24 poles + ⊕	-
CSH	24 poles + ⊕	113
CSH S	24 poles + ⊕	125
CCE	24 poles + ⊕	133
CMSH	10+2 (aux) poles + ⊕	140
CMCE	10+2 (aux) poles + ⊕	141
CSS	24 poles + ⊕	151
CT, CTSE (16A)	24 poles + ⊕	163
CQE	46 poles + ⊕	171
CQEE	64 poles + ⊕	177
CX	4/8 and 6/6 poles + ⊕	204, 206
MIXO	6 modules	262 - 317

## hoods with 4 pegs




## hoods with 4 pegs



description	part No.	entry M	part No.	entry M
with pegs, side entry	<b>MBO 24.225</b>	25 x 2		
with pegs, top entry	<b>MBV 24.425</b>	25 x 4		
with pegs, top entry	<b>MBV 24.720</b>	20 x 7		
with pegs, side and top entries			<b>MBVO 24.250</b>	50 x 2
with pegs, without entries, designed to be drilled			<b>CBC 24</b>	--

dimensions of electronic boards for MBO and CBC enclosures side entry



Housings  
(page 441)



**CRUS**® Type  
4/4X/12



insulating cable gland or fittings  
without gasket



cable gland  
with O-Ring gasket

